

THERAPEUTIC USES FOR CBD

- **Acne**
- ADD/ADHD
- Addiction
- ALS
- Alzheimer's / Dementia
- **Anorexia**
- Anxiety
- Atherosclerosis
- Arthritis
- Asthma
- Cancer
- Digestive Disorders
- Depression
- Diabetes
- Endocrine Disorder
- Epilepsy
- Fibromyalgia
- Glaucoma
- Head Aches/Migraine
- Heart Disease
- Inflammation
- Metabolic Syndrome
- Mood Disorder/OCD
- MS
- Neurodegeneration
- Chronic Pain
- Obesity
- Osteoporosis
- Parkinson's Disease
- PTSD
- Sleep Disorder
- Stress

THERAPEUTIC USES FOR EXERCISE

- Acne
- ADD/ADHD
- Addiction
- ALS
- Alzheimer's / Dementia
- Anorexia
- Anxiety
- Atherosclerosis
- Arthritis
- Asthma
- Cancer
- Digestive Disorders
- Depression
- Diabetes
- Endocrine Disorder
- Epilepsy
- **Erectile dysfunction**
- Fibromyalgia
- Glaucoma
- Head Aches/Migraine
- Heart Disease
- Inflammation
- **Menstrual Disorder / Menopause-related Symptoms**
- Metabolic Syndrome
- Mood Disorder/OCD
- MS
- Neurodegeneration
- Chronic Pain
- Obesity
- Osteoporosis
- Parkinson's Disease
- **Premature Death**
- PTSD
- Sleep Disorder
- **Skin Health**
- Stress
- Stroke

LAW ENFORCEMENT INTERVIEW

HALLUCINOGENS

Chapter 12

HISTORICAL CONTEXT

RELIGIOUS USE

- American Indian - shamans



From Copyright Photograph 1915 by E. S. Curtis
COSTUME OF A WOMAN SHAMAN - CLAYOQUOT

SALEM, MASSACHUSETTS

1691 Salem Witch trials

- ~ 200 accused
- “Witch crazed”
- Contorted
- Screaming
- Images of birds, dogs, and the Devil





ERGOT

- Fungi → barley, wheat, rye
- Lysergic Acid
- 1951 – Pont-Saint-Esprit



Source: University of Nebraska-Lincoln

THE COLD WAR

**THE RED MENACE
IS REAL!**



THE RED SCARE



- “Brain Warfare”
- CIA – truth serum
- 1953 - MK-ULTRA



25 mg vial of 1951 Sandoz LSD (Delysid)

© 2006 Erowid.org

US GOVERNMENT

ST ST
Declassified in Part - Sanitized Copy Approved for Release 2012/08/29 : CIA-RDP90-DDB65R0001C0150073-B

ARTICLE APPEARED
ON PAGE E-12

WASHINGTON POST
28 AUGUST 1982

JACK ANDERSON

Lawsuit Forces CIA Confession On MK-ULTRA

More than six years ago, I first exposed the horror of MK-ULTRA, the CIA's supersecret program that used unwitting victims as living test-tubes for bizarre mind-altering drugs. The nightmares still won't over for some of the tortured guinea pigs.

Bits and pieces of the story have come out over the years in various forums. But now, for the first time, the CIA has been forced to acknowledge in a judicial proceeding the terrifying scope of its experiments.

The CIA confessions were extracted in writing by Atlanta attorney Thomas E. Maddox Jr., who represents four of the prisoners who were experimented on in the Atlanta federal penitentiary in the 1950s and 1960s. The victims, in their 50s, are seeking \$600,000 apiece in damages from the government.

One of the plaintiffs, Farrell V. Kirk, was used as a chemical ratich, how even though the CIA knew he was mentally unstable. After being dosed with a variety of drugs, Kirk attempted suicide by burning and hanging, and once tried to saw an arm off.

A second victim, Don Roderick,

says he suffered permanent brain damage from the tests. A third, John R. Maule, is a fugitive, and the fourth, James T. Knight, is still in prison. All four say they suffered flashbacks and other severe symptoms for years after they were drugged by the CIA.

Here are some of the shocking admissions made by the Justice Department on behalf of the CIA under questioning by the victims' attorneys:

• MK-ULTRA's purpose was "research and development of chemical biological and radiological materials [for use] in clandestine operations to control human behavior." The CIA hoped the "psychoactive chemicals" would work on the victim's mind and emotions to "release him from the restraint of self-control."

• The program was also intended to develop an "anti-interrogation" drug to counter Soviet truth serum, or possibly to scramble a CIA agent's brain so that any confession to his captors would be useless.

• MK-ULTRA and its successor program, MK-SEARCH, were terminated in part because the drugs and other techniques proved "too unpredictable in their effect on human beings."

• Nevertheless, the CIA pursued another chemical program, MK-BURN, until at least 1970. One of its researchers was Dr. Carl Pfleiffer, who also worked on MK-ULTRA. Pfleiffer has sworn he was merely

trying to find a cure for mental illness. That is what the Atlanta victims were told.

• The materials developed and tested were "hallucinogenic or [would] otherwise affect the central nervous system of humans." The substances included various LSDs, mescaline, a truth serum and powerful amphetamines.

• The CIA can produce no written contract forms, and admits no follow-ups were made of the guinea pigs. Normally there weren't even doctors on hand the night after the convicts were drugged. Some prisoners were so bogged up they had to be given more drugs "to attain sleep."

• Two victims were transferred to a medical facility "because of apparent mental problems," but the CIA denies this was because of "an adverse reaction" to the drugs, which were intended to duplicate psychosis.

• Though expense records were kept meticulously—\$348,446.10 for the Atlanta sub-project—the overall records were apparently destroyed in 1973 by Dr. Sidney Gottlieb, a top CIA scientist. Pfeiffer destroyed the records in 1972.

Footnote: The CIA refused comment. Gottlieb told my associate Les Whittier the Atlanta project "was in keeping with the kind of experiments being done at that time." Pfleiffer "doesn't ordinarily take calls," according to a voice at his New Jersey office.

MDMA

Vietnam


- Amphetamines
- Codeine
- MDA

- Brainwash
- Amnesia
- PTSD
- Interrogation





TYPES OF HALLUCINOGENS

TYPES




MNT PHOENIX.

- Describe how hallucinogens alter the senses



► Visual Information Pathways



MAN BLUE DEVILS

Explain how hallucinogens differ from other commonly abused drugs in terms of their addicting properties and their ability to cause dependence



DRUG SAFETY?

- How do you measure the danger of a drug?
- Most hallucinogenic drugs are not physically toxic and do not generate physical withdrawal symptoms.

HALLUCINOGENS

- Synesthesia



- Trip
- 10 minutes – 12 hours



HALLUCINOGENS




FEELING NUMB

- Trip
- 10 minutes – 12 hours

1st stage = Physiological

- HR,
- BP
- Hyperthermia
- Dilated pupils
- Weakness
- Muscle contractions

HALLUCINOGENS




- Trip
- 10 minutes – 12 hours
- 1st stage = Physiological
- 2nd stage = Altered sensations**
 - Focused senses
 - Objects become significant, strange, or mystical
 - Time & space altered
 - Warped dimension

HALLUCINOGENS



- Trip
 - 10 minutes – 12 hours
 - 1st stage = Physiological
 - 2nd stage = Altered sensations
- 3rd stage = Visual illusion**
- Detached sense of self
 - Distorted figures
 - Preoccupation

TYPES



PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine
- Serotonin
- Oxytocin
- Tryptophan
- Cortisol, epinephrine
- MAO & GABA

PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine




PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine




BRN CHARGERS

- Explain the reasons for Ecstasy's recent fluctuations in patterns of use.



MAN PHOENIX

Explain what is meant by the term “club drugs” and describe particular problems associated with their use



Molly?

BRN BLUEGOLDS.


Describe why some psychotherapists believe that MDMA may be beneficial for their patients



Source: Hatzidimitriou, G., McCann, U. D. & Ricaurte, G. A. (June 1999). Altered serotonin innervation patterns in the forebrain of monkeys treated with methylenedioxymethamphetamine seven years previously. *Journal of Neuroscience*, 19(12).

MDMA


- Serotonin Syndrome



Dark-field photomicrograph, coronal plane, of 5-HT immunoreactive axons in the subiculum of a control monkey (A), a 2 week MDMA monkey (B), and a 7 year MDMA monkey (C). Note the pronounced reduction in axon density still evident 7 years after MDMA treatment. M, Molecular layer. Scale bar, 100 μ m.

MDMA

- Serotonin Syndrome



PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine



PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine



PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine



PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine



PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine




PSYCHEDELIC

- LSD
- MDMA
- Psilocybin
- Peyote
- Morning Glory seeds
- Nutmeg
- DMT
- Bufotenine




COUNTER CULTURE

- Timothy Leary
- “Tune on, Tune in, Drop out”




COUNTER CULTURE

- Timothy Leary
- “Tune on, Tune in, Drop out”
- Moody Blues – Legend of a Mind



TYPES



DISSOCIATIVE

- Mushrooms
- Salvia
- PCP




DISSOCIATIVE

- Mushrooms
- Salvia
- PCP



PSYCHEDELIC INSPIRATIONS

- Fantasia - 1940
- Alice in Wonderland – 1951
- Jefferson Airplane



MNT BUCCANEERS

- Describe the recreational and legal status of *Salvia divinorum*

DISSOCIATIVE

- Mushrooms
- Salvia
- PCP
 - Angel Dust




FOX CYCLONES

- Characterize PCP differs from other hallucinogens and why it is so dangerous



TYPES



DELIRIANTS

- Nightshade
- Datura



PSYCHEDELIC INSPIRATIONS

- Fantasia - 1940



- Alice in Wonderland – 1951







- Jefferson Airplane

- Aldous Huxley

- The Doors of Perception - 1954

- The Doors

- The Gamblers



NATURAL?

- Many hallucinogenic drugs are “natural” in that they are plants, fungi, & amphibians that occur in nature, does this mean they are safe to use?

NOV 12 – WORK GROUP TOPICS

- Read Ch. 9 – Narcotics
- **BRN – Chargers** = Describe the principle pharmacological effects of narcotics.
- **FOX – Cyclones** = Identify major side-effects of narcotics, in particular their abuse potential
- **MNT – Buccaneers** = Distinguish between narcotic physical dependence and addiction.
- **MAN – Blue Devils** = Explain narcotic tolerance and withdrawal symptoms
- **BRN – Bluegolds** = Describe and compare the use of methadone and buprenorphine in the treating narcotic addiction.
- **FOX – Titans** = Explain the unique features of fentanyl that makes it appealing to illicit drug dealers but dangerous to the addict.
- **MAN – Phoenix** = Describe how “designer” drugs have been associated with narcotics and Parkinson’s disease.
- **MNT – Phoenix** = Describe why/how dextromethorphan and tramadol are potential for abuse